





庭性偏头痛患者的临床表现有一定的特征性和典型性,常见的伴随症状有闪光、暗点和视野缺损等视觉先兆。但目前对于前庭性偏头痛患者存在脑白质高信号的具体机制尚不明确,仍需进一步的探索与研究。

### [参 考 文 献]

- [1] DIETERICH M, OBERMANN M, CELEBISOY N. Vestibular migraine: the most frequent entity of episodic vertigo[J]. *J Neurol*, 2016, 263(Suppl 1): S82-S89.
- [2] 邱峰,宋丹丹,郭起峰,王晴晴,王志伟,刘建国,等. 伴有头颅磁共振影像变化的前庭性偏头痛的临床特点分析[J]. *中华医学杂志*, 2017, 97: 1049-1053.
- [3] Headache Classification Committee of the International Headache Society (IHS). The International Classification of Headache Disorders, 3<sup>rd</sup> edition (β version)[J]. *Cephalalgia*, 2013, 33: 819-808. ! !!!
- [4] SWARTZ R H, KERN R Z. Migraine is associated with magnetic resonance imaging white matter abnormalities: a meta-analysis[J]. *Arch Neurol*, 2004, 61: 1366-1368.
- [5] GOZKE E, ORE O, DORTCAN N, UNAL Z, CETINKAYA M. Cranial magnetic resonance imaging findings in patients with migraine[J]. *Headache*, 2004, 44: 166-169.
- [6] FERRARI M D, KLEVER R R, TERWINDT G M, AYATA C, VAN DEN MAAGDENBERG A M. Migraine pathophysiology: lessons from mouse models and human genetics[J]. *Lancet Neurol*, 2015, 14: 65-80.
- [7] SENEVIRATNE U, CHONG W, BILLIMORIA P H. Brain white matter hyperintensities in migraine: clinical and radiological correlates[J]. *Clin Neurol Neurosurg*, 2013, 115: 1040-1043.
- [8] BHASKAR S, SAEIDI K, BORHANI P, AMIRI H. Recent progress in migraine pathophysiology: role of cortical spreading depression and magnetic resonance imaging[J]. *Eur J Neurosci*, 2013, 38: 3540-3551.
- [9] YANG Y, GUO Z N, WU J, JIN H, WANG X, XU J, et al. Prevalence and extent of right-to-left shunt in migraine: a survey of 217 Chinese patients[J]. *Eur J Neurol*, 2012, 19: 1367-1372.
- [10] 张东军,屈传强,郭洪志. 老年人脑白质疏松症与Binswanger病的临床和影像学对比研究[J]. *中华老年医学杂志*, 2005, 24: 485-488.
- [11] INTISO D, DI RIENZO F, RINALDI G, ZARRELLI M M, GIANNATEMPO G M, CROCIANI P, et al. Brain MRI white matter lesions in migraine patients: is there a relationship with antiphospholipid antibodies and coagulation parameters?[J]. *Eur J Neurol*, 2006, 13: 1364-1369.
- [12] BREMOVA T, CAUSHAJ A, ERTL M, STROBL R, BÖTTCHER N, STRUPP M, et al. Comparison of linear motion perception thresholds in vestibular migraine and Menière's disease[J]. *Eur Arch Otorhinolaryngol*, 2016, 273: 2931-2939.
- [13] 刘丽赞,李顺辉,颜友良,童一帆,熊强珍,谭彧,等. 介入封堵术治疗伴有卵圆孔未闭偏头痛患者的效果观察[J]. *中国当代医药*, 2014, 16: 47-49.

[本文编辑] 杨亚红