









%D`D\$ :M' :66Oÿ < P (7 +° V+W,\$ 8U••1\$ V +W İ51K• 5 " dE• 9 8/7 Ò+° K ÿ BU•6-6 5İE• È6)KÈ-1D`Dü Ô È6)KÈ-1 % İ51 V æ"g Ô ,j Đ • ù SU•ç Y6-6 È6)KÈ-1 AB£+°5ê È6)=œ0 [66 Oÿ < P İ51 \$ İ+°OX , 2L [20]

4( 6 IE U•6\$6œ :2=î SOÔ Ä [P 7 •(³ P \$ İ(³+° QFù G PU•!ç\*ÄBe\*TP U•4 İ51 â Š ö.j FR ' SBK ñU• h ÄP ÒFù>ò % \*c S f g+° é DEF &0)0u=x FU•À İ f µ "+ý,• , üP ú F æ „+° µ "K^8/ ; @òU•>ð8/ ^ F ù ^"m /7 ý\*K6\$6œ :2=î SOÔ Ä :U•fA/ G P Q } ? F BU•3ÿ 4 İ51+°7 P 2L ö ` ¶\*ó'âU• K EK ò-š žM°U• ú58M°K^ < P İ7 +° 9 E2 S\*ñ)2 !! ß ! !! ! !!!

[参考文献]

[1] /7Sú ;, \*7 /÷, " ó, " âİĐ, =- , L B! =, 0u 66 66 Oÿ < P "m=x\*ñ "¥%â 2 ¼ , w [\*Ä t İ@Ô[J]. Y z G POÔ.ý n ,2008,10:245-248.

[2] ("V K, "Bİ, zJ«L~.(.â ä . G P S66 OÔ Ä İ51"m =x\*ñ ' 2 ¼[J]. Y z G P n ,2012,28:988-992.

[3] DAVID J S, GELAS-DORE B, INABA K, LEVRAT A, RIOU B, GUEUGNIAUD P Y, et al. Are patients with self-inflicted injuries more likely to die?[J]. J Trauma, 2007, 62: 1495-1500.

[4] DL3³ ,7û³ U ,(• ñl— . 52 -P OCE9i P Q@ö B.ý!ç\*Ä [J]. Y ) Ê\*T g8>,2011,6:15-17.

[5] LEUCHT P, FISCHER K, MUHR G, MUELLER E J. Epidemiology of traumatic spine fractures[J]. Injury, 2009, 40: 166-172.

[6] HE S, LIN L, TANG X, HUANG Y, DAI M, PENG M, et al. The treatment of osteoporotic thoracolumbar severe burst fractures with short pedicle screw fixation and vertebroplasty[J]. Acta Orthop Belg, 2014, 80: 493-500.

[7] HU R, MUSTARD CA, BURNS C. Epidemiology of incident spinal fracture in a complete population[J]. Spine (Phila Pa 1976), 1996, 21: 492-499.

[8] M , Û = ÷, ÆE! =, z ;3Î, z U, O~ " . 661 -6\$6œ :OÔ Ä İ51+°"m=x\*ñ ' 2 ¼[J]. Y )66 66Oÿ n , 2004,14:403-405.

[9] DEN OUDEN L P, SMITS A J, STADHOUDER A,

FELLER R, DEUNK J, BLOEMERS F W. Epidemiology of spinal fractures in a level one trauma center in the Netherlands: a 10 years review[J]. Spine (Phila Pa 1976), 2019, 44: 732-739.

[10] L % , - .i K. G P S6\*\*É 20 . ` ¶ 2 ¼ [J]. Y ) Ê \*T g8>,2017,12:139-140.

[11] D K,Sð œ,ANM@ YG P S6\*\*É 32 .@ö!ç • F[J]. ` ¶ B.ý n ,2018,26:616-617.

[12] = Ç, •(P, D7ÿ,™" , L.ý Y, P{<, Ú. G P S6\*\*É+° ` ¶¥%â ö@ö!ç 2 ¼[J/CD]. Y z\*É ,6¥ í B.ý n (\*a |t),2017,11:456-459.

[13] 8/ U z, ` Ç, '‡ K Ü. < P :\*ê\*ñ[M]. 6"£: 9 S ' &t,j,2014:201-203.

[14] M =y&¶ {, • - ,(• ó , \* ½, < Ü,0u. 6\$6œ :2=î SOÔ Ä [ : ç ý\*ó È 2 ¼[J]. G P B.ý n , 2018,20:332-335.

[15] ŞCHEER J K, BAKHSHESHIAN J, FAKURNEJAD S, OH T, DAHDALEH N S, SMITH Z A. Evidence-based medicine of traumatic thoracolumbar burst fractures: a systematic review of operative management across 20 years[J]. Global Spine J, 2015, 5: 73-82.

[16] SHRESTHA B, HOLCOMB J B, CAMP E A, DEL JUNCO D J, COTTON B A, ALBARADO R, et al. Damage-control resuscitation increases successful nonoperative management rates and survival after severe blunt liver injury[J]. J Trauma Acute Care Surg, 2015, 78: 336-341.

[17] LETOUBLON C, AMARIUTEI A, TATON N, LACAZE L, ABBA J, RISSE O, et al. Management of blunt hepatic trauma[J]. J Visc Surg, 2016, 153(4 Suppl): 33-43.

[18] WAN Y M, LI Y H, XU Z Y, YANG J, YANG L H, XU Y, et al. Therapeutic plasma exchange versus double plasma molecular absorption system in hepatitis B virus-infected acute-on-chronic liver failure treated by entercavir: a prospective study[J]. J Clin Apher, 2017, 32: 453-461.

[19] VACCARO A R, SCHROEDER G D, KEPLER C K, CUMHUR ONER F, VIALLE L R, KANDZIORA F, et al. The surgical algorithm for the AOSpine thoracolumbar spine injury classification system[J]. Eur Spine J, 2016, 25: 1087-1094.

[20] L"- , ] , Y, 5Â & z, z = K, KtTÅ Kç.(ó ó, 0u. 75Î ä 9 f " æ@Û3i % V+W İ516-6 ,5İE• È6)+° • ù[J]. Y z\*)2 g ' : ä 9 n ,2019,41:111-115.

[本文编辑] " Æ3İ