

E.*T° ø Ó4š ' +°*ñ .U•6) , < ' Fr â2'4 Kê
 , <+°*a -4š ' r w [f " æ*a -4š '+°1ê ò S
 ß°" ,A `F &Æ , f " æ+°E Ñ/_ Æ S
 Ou X3ð : K «*T SINOVIATION w [f " æ , <
 *a -4š 'U•Fó*TOÔ S Marker lμ , ` â `lμ5€ 4"
 ,U• û =" ,A U• üP 4š '*a -+°1ê ÒU•Dê \ \$
 ;+°*a -4š '
 SEEG 4š '+° w [ç ý*ó g>- [&=l , K ý
 Mullin Ou^[15] Ý° SEEG ç ý*ó+° meta 2¼.j.f.U•
 SEEG [:M± ± &=l+° ý*K(³f 1%Uß[K:Ký#
 ý*K(³f 0.3% X3ð 31 .İ51 • < È4š ' 359 e
 *a -U•1 . &(Ü ÓMÉMÉMç~6È 7=I5ë+° İ513û2S
 Q ,M±#1K=I5ëU• [: Ž 97> © ;©&b SEEG 4š '
 !&=l+° ý*K(³ 9P U• r , ý*KU• 6) AB£ QFù :
 !È ®• û = SEEG 4š ' &=l+° ý*K(³U• [+— ! !!!癩 B
 .ý g 4 ñM§5/;)+°K MÄ T X Y İU• KFó*T PCA
 j.f=I0ÍU• , y d>ðFó*T PCA 5€ 4 ø 9EL • n È
 f:° n T , İ o ùU• P ç % ° y5€ 4— :5€ 4 ÝLŽ
 66=3ð3ó6=!È ±+°=I0Í j.f © X3ð*ñ . [:
 SEEG +ý"w 2~4 "U• s V &(ÜM± ± B `+Ú K ý
 g wU•SEEG T DRE á=Û S@ð \ Kb á ý Q ²
 Fù>- ^*TU• @æ [MRI K_ SE [MRI K` S+°*ñ
 .U•SEEG s üP 7 癩%ç Æ y+°1ê ò SU•=" :
 SEEG 3 (7 B.ý!ç*Ä DRE [μ " 5 t+°

[参 考 文 献]

[1] JAYAKAR P, GOTMAN J, HARVEY A S, PALMINI A, TASSI L, SCHOMER D, et al. Diagnostic utility of invasive EEG for epilepsy surgery: indications, modalities, and techniques[J]. *Epilepsia*, 2016, 57: 1735-1747.
 [2] " ' , Ý ³ u , Q'!=,5 J7,Bj98,\$ S(N ,Ou . /÷ •Æ =D± Ö 2'4 A (M± ±*a -4š ' [T7 + %ç Æ y Y+° ^*T[J]. *Y z.Š3û B.ý n* ,2015,31:173-176.
 [3] F f ,]e , L(Ú , z F , Kt ö È , 6 #, <., Ou . /÷ •6=*a * T 8)'•Kê!ç S+—+ İ51 [y@ð \ Y+° À*T [J]. *Y z.Š3û B.ý n* ,2016,32:261-265.
 [4] WIESER H G, BLUME W T, FISH D, GOLDENSOHN E, HUFNAGEL A, KING D, et al; Commission on Neurosurgery of the International League Against Epilepsy (ILAE). ILAE Commission Report. Proposal for a new classification of outcome with respect to epileptic seizures following epilepsy surgery[J]. *Epilepsia*, 2001, 42: 282-286.
 [5] TALAIRACH J, BANCAUD J. Stereotaxic approach to epilepsy. Methodology of anatomo-functional stereotaxic investigations[J]. *Progr Neurol Surg*, 1973, 5: 297-354.

[6] GONZALEZ-MARTINEZ J, BULACIO J, ALEXOPOULOS A, JEHI L, BINGAMAN W, NAJM I. Stereoelectroencephalography in the "difficult to localize" refractory focal epilepsy: early experience from a North American epilepsy center[J]. *Epilepsia*, 2013, 54: 323-330.
 [7] CUELLO-ODERIZ C, VON ELLENRIEDER N, SANKHE R, OLIVIER A, HALL J, DUBEAU F, et al. Value of ictal and interictal epileptiform discharges and high frequency oscillations for delineating the epileptogenic zone in patients with focal cortical dysplasia[J]. *Clin Neurophysiol*, 2018, 129: 1311-1319.
 [8] <'3Í, Kç:F.(μ Ý , L) G , z)ŠS%4,Û F,0u Y)'t.Š 3û ï)2@ð \ T+—+ B.ý [y@ð \ Y+° À*T[J]. /÷ •Æ = , È6) S.Š3û B.ý n ,2018,31:211-217.
 [9] MCGONIGAL A, BARTOLOMEI F, RÉGIS J, GUYE M, ÇAVARET M, TRÉBUCHON-DA FONSECA A, et al. Stereoelectroencephalography in presurgical assessment of MRI-negative epilepsy[J]. *Brain*, 2007, 130(Pt 12): 3169-3183.
 [10] THORSTEINSDOTTIR J, VOLLMAR C, TONN J C, KRETH F W, NOACHTAR S, PERAUD A. Outcome after individualized stereoelectroencephalography (sEEG) implantation and navigated resection in patients with lesional and non-lesional focal epilepsy[J]. *J Neurol*, 2019, 266: 910-920.
 [11] ZHANG G, CHEN G, MENG D, LIU Y, CHEN J, SHU L, et al. Stereoelectroencephalography based on the Leksell stereotactic frame and Neurotech operation planning software[J/OL]. *Medicine (Baltimore)*, 2017, 96: e7106. doi: 10.1097/MD.0000000000007106.
 [12] NOWELL M, RODIONOV R, DIEHL B, WEHNER T, ZOMBORI G, KINGHORN J, et al. A novel method for implementation of frameless StereoEEG in epilepsy surgery[J]. *Neurosurgery*, 2014, 10(Suppl 4): 525-534.
 [13] GONZÁLEZ-MARTÍNEZ J, BULACIO J, THOMPSON S, GALE J, SMITHASON S, NAJM I, et al. Technique, results, and complications related to robot-assisted stereoelectroencephalography[J]. *Neurosurgery*, 2016, 78: 169-180.
 [14] VAKHARIA V N, SPARKS R, O'KEEFFE A G, RODIONOV R, MISEROCCHI A, MCEVOY A, et al. Accuracy of intracranial electrode placement for stereoelectroencephalography: a systematic review and meta-analysis[J]. *Epilepsia*, 2017, 58: 921-932.
 [15] MULLIN J P, SHRIVER M, ALOMAR S, NAJM I, BULACIO J, CHAUVEL P, et al. Is SEEG safe? A systematic review and meta-analysis of stereoelectroencephalography-related complications[J]. *Epilepsia*, 2016, 57: 386-401.