









3 f Ê v

XA/-@3ÿ È j.fU•3ò8ø S5É6?5ë\*ñ È8ø Y5æ %° wL# [8ø , d>íU< CE 53.23%U3/62UCEU• ç M f S5Ì ï 88øU<16.13%U• 10/62UCEU• & X : ³(Z Ñ E.<sup>[4-6]</sup>,\$ ,7 Ó E SBL 8ø TL• œK` S8ø Y CE 15.09%U8/53UCEU• T5æ%° wL# [8ø , S5Ì ï 88ø Y 2 W CE 6.06%U2/33UCE , 60.00%U10UCE Y )3ò 8ø5<8>+ý"w4} œ š j.fU•2016 Ó E SBL wL# [8ø Š , S5Ì ï 88ø ì &(³ 2 W f 25.2% , 45.2%<sup>[7]</sup> -BL~L5& 1§ % Ó E SBL 8ø V £ 5P Ò Æ8ø" g SU [ , y!ç\*Ã Ó E SBL 5Ì r8ø.ý3ò8ø l7 0.ù K ÿ , 5 t , LCE+°8>'• % Ó E SBL 8ø V AB£+°Fù ð6? p\*ó, B6? p S = wU• , ÑE5\*T-BL~L5& 1§ Æ8ø8>'• ±Fœ6&Fç ½ b n 9 4 b n `iŽiFš/ 7> ' , ø ò>« Æ/ = ' % Ó E SBL 8ø V K ÿ 5 D¯ ©+° ` ¶\*Ã tU• r g>-\*T °D§ Y Ò K ÿU• @L, E. • Ê Ì 4 8> nFù , M œUŽ!K âA&Fš1§ Æ8ø8>'• 9 E.\*T ° Ó E SBL 8ø V+°3ûO, !ç\*ÃU•!T &2 8#1§8>'• ^ f Ó E SBL Fù\*ó K ÿ Ì51!ç\*Ã+°5€ 4\*T8> <sup>[8]</sup>

3ò8ø S5É6?5ë Ì513ûO, \*T8> g>-l' %L• œ K` S8ø , !S8øU• ' Æ8ø8>'• ` ¶ «\*T 3 ( È E U<2015 'tUCE ( <sup>[9]</sup> Ô8|6¥6€ K ý3ûO, !ç\*Ã " %D§\*ó K ÿ E5\*TL~L52L 0X 2 ` Ž8ø2L5€ 4\*^-% = B âA&Fš1§U• % °Fù\*ó K ÿ E5\*T W ±Fœ6&Fç ½ b n -BL~L5& 1§ 0X 3 , 0X 4 ` Ž8ø2L5€ 4\*^-% = ' } .» ã Æ Ú\*K'•!ç\*Ã 3 f (2016 't Ô8|!ç\*Ã3ò8ø S5É6?5ëÑÆ5\*^-% =5€ 4 ` Ž a U<B ` Ž>« - ø ò>« Æ / = ' (Û E!À K !S!K!À KUÇEU• 3E5 â t f\*^-% =5€ 4 Æ6& % f U<B 4°4f % f F h % fUCE<sup>[10]</sup> 4°) L ý\*ñ ' F U<Infectious Diseases Society of America 2015 SAUCE 9 n S6¥6€ ± K ÿ@ò!ç 3 f Ô8|U• % °D§ Y Ò K ÿ F E5\*T0X 3 ` Ž8ø2L ø ò>« Æ/ = ' B!K â A&Fš1§5€ 4\*^-% =!ç\*ÃU• % °Fù Ò K ÿ Ì51 , Ñ E5\*T-BL~L5& 1§8>'•!ç\*Ã <sup>[11]</sup> Æ8ø8>'•E5 L,4(4 5/;8>'• Æ8øA] K ý+° QFù/7 Ò Ì51+°5É5ë È 6) Dý K «\*T Æ8ø8>'• 0u X-@/ç3ÿ È j.fU• 5 V W\*ñ . , T Æ6& % f/>« \$ -lì\*T °D§ Y Ò K ÿ 3ûO, !ç\*ÃU• @ V ö "E =xKyKb Ú!ç\*Ã â tA/ Æ6& % f/>« \$ -lì Š'¥ ¶ «\*T3Ó Æ8ø8>'•U• • ` ¶ 6 ùL, ì f %-BL~L5& 1§ Æ8ø8>'•0u¥ ¶ « \*T3Ó Æ8ø8>'• «\*T+°0í)2U• û =5<8>8ø+° Ó\*K

, y % °3ò8ø S5É6?5ë Æ K ÿ g\*Ã/7!Í 5-š 3 3 òU• 5 ÑE• ù &7 =L,>- 6 "U•L...65 Æ K ý!ç \*Ã 3 " : 9\*T8> 1 2 V 4K^ Ž6?5ë 9 ý<sup>[4]</sup> 5 ÑE•L...65\*T8> 3 " : 9 1 2 " Æ8ø8>'• ] Dê \ Æ8ø!ç\*Ã+°, +° <sup>[11]</sup> X MA/-@ Y Ì51 {KŽ "K sD¯ - U• @ &KŽ "4 SF 2 R 5 9 Æ8ø8>'• BD¯ 7 • \ gKŽ4 4 Æ K ý!ç\*ÃU•3ò8ø S5É6?5ë+°!ç\*Ã "K D¯J«U• £ • Æ K ý\*Ã/7L, e š Ì51+° ` ¶=" (Û ö6?5ë 4 4 ñ á ß Æ Æ8ø8>'• «\*T\*Ã/7 9Bß ( 7 6?5ë ù 9U• r Æ8ø8>'• «\*T "K DóJ« Ò (7 4 ý K ÿ 5<8>0uK MÄU• q Ý °3ò8ø S5É6?5ë Ì51 Æ 8ø8>'• «\*T\*Ã/7 5 ±E , '-@/ç

[ å ø ]

[1] ¼ O,] "£ H, Kt8€, "£ , \$ +. Ç. 3û+Ú/« f A"m [ T3ò8ø S5É6?5ë!ç\*Ã Y+° ^\*¶J]. ÷ ' j 0 ' n , 2018,27:181-185.

[2] SHARMA A, MUKEWAR S, MARA K C, DIERKHISING R A, KAMATH P S, CUMMINS N. Epidemiologic factors, clinical presentation, causes, and outcomes of liver abscess: a 35-year olmsted county study[J]. Mayo Clin Proc Innov Qual Outcomes, 2018, 2: 16-25.

[3] WANG W J, TAO Z, WU H L. Etiology and clinical manifestations of bacterial liver abscess: a study of 102 cases[J/OL]. Medicine (Baltimore), 2018, 97: e12326. doi: 10.1097/MD.00000000000012326.

[4] L £ £ , = - 2 . 3ò8ø S5É6?5ë\*ñ È ' 2 /ò5<8> S 2 ¼ [J]. >«F g ' n , 2017,29:679-684.

[5] FOO N P, CHEN K T, LIN H J, GUO H R. Characteristics of pyogenic liver abscess patients with and without diabetes mellitus[J]. Am J Gastroenterol, 2010, 105: 328-335.

[6] C U U O ~ « " , M a z i , - - ö , ; 颯. 3ò8ø S5É6?5ë +°\*ñ È ' ò ` ¶ 2 ¼[J]. Y ) K ÿ : B \* Æ n , 2016,16:722-725.

[7] 6 í , F ' , ] ã â , ! - 9 , 9 • N , ¼ 8 Q, 0 u 2016 Y ) CHINET 3ò8ø5<8> S+ý"¶J]. Y ) K ÿ : B \* Æ n , 2017,17:481-491.

[8] " z , z u D µ , K t œ u , • B ± , % ~ , " ñ , 0 u . Y ) Ó B ± « A ] ± F œ 6 & 1 \$ F ç 5 ] r 8 ø . ý 3 ò 8 ø K ÿ Æ % 0 , \* ' ? â • @ ò [ J ] . Y z g ' n , 2014,94:1847-1856.

[9] ' Æ 8 ø 8 > ' • ¶ Æ \* T 3 ( È E ( @ Í ^ 3 ò . Æ 8 ø 8 > ' • ¶ Æ \* T 3 ( È E ( 2015 ' t ) [ M ] . C Ø : æ l = — \* K & ' t , j , 2015:66.

[10] SANFORD J P. The Sanford guide to antimicrobial therapy 2016[M]. 4<sup>th</sup> ed. Sperryville: Antimicrobial Therapy Inc, 2016: 114-115.

[11] NAZIR N T, PENFIELD J D, HAJJAR V. Pyogenic liver abscess[J]. Cleve Clin J Med, 2010, 77: 426-427.