

- PETRIE K J, DEARING E, et al. Economic volatility in childhood and subsequent adolescent mental health problems: a longitudinal population-based study of adolescents[J/OL]. *BMJ Open*, 2017, 7: e017030. doi: 10.1136/bmjopen-2017-017030.
- [7] NOWAK R, KWIECIEN M, TKACZ M, MAZUREK U. Transforming growth factor-beta (TGF- β)-signaling in paravertebral muscles in juvenile and adolescent idiopathic scoliosis[J/OL]. *Biomed Res Int*, 2014, 2014: 594287. doi: 10.1155/2014/594287.
- [8] MATUSSEK J, DINGELDEY E, WAGNER F, REZAI G, NAHR K. Conservative treatment of idiopathic scoliosis with effective braces: early response to trunk asymmetry may avoid curvature progress[J]. *Orthopade*, 2014, 43: 689-702.
- [9] LEE H, CHOI J, HWANG J H, PARK J H. Health-related quality of life of adolescents conservatively treated for idiopathic scoliosis in Korea: a cross-sectional study[J/OL]. *Scoliosis Spinal Disord*, 2016, 11: 11. doi: 10.1186/s13013-016-0071-1.
- [10] NEAL D. A lot of mental illness starts in adolescence. Therefore should we shift some of the spending from adult to adolescent mental health services?[J]. *Psychiatr Danub*, 2015, 27(Suppl 1): S84-S91.
- [11] THAPAR A, COLLISHAW S, PINE D S, THAPAR A K. Depression in adolescence[J]. *Lancet*, 2012, 379: 1056-1067.
- [12] MATSUNAGA S, HAYASHI K, NARUO T, NOZOE S, KOMIYA S. Psychologic management of brace therapy for patients with idiopathic scoliosis[J]. *Spine (Phila Pa 1976)*, 2005, 30: 547-550.
- [13] GLOWACKI M, MISTERSKA E, ADAMCZYK K, LATUSZEWSKA J. Changes in scoliosis patient and parental assessment of mental health in the course of Cheneau brace treatment based on the strengths and difficulties questionnaire[J]. *J Dev Phys Disabil*, 2013, 25: 325-342.
- [14] DANIELSSON A J, WIKLUND I, PEHRSSON K, NACHEMSON A L. Health-related quality of life in patients with adolescent idiopathic scoliosis: a matched follow-up at least 20 years after treatment with brace or surgery[J]. *Eur Spine J*, 2001, 10: 278-288.
- [15] STANGE J P, ALLOY L B, FLYNN M, ABRAMSON L Y. Negative inferential style, emotional clarity, and life stress: integrating vulnerabilities to depression in adolescence[J]. *J Clin Child Adolesc Psychol*, 2013, 42: 508-518.
- [16] ZHANG J, WANG D, CHEN Z, GAO J, YU X, SUN H, et al. Decrease of self-concept in adolescent patients with mild to moderate scoliosis after conservative treatment[J/OL]. *Spine (Phila Pa 1976)*, 2011, 36: E1004-E1008. doi: 10.1097/BRS.0b013e3181fef60f.
- [17] CARNEVALE T D. Universal adolescent depression prevention programs: a review[J]. *J Sch Nurs*, 2013, 29: 181-195.